

⑫

⑤¹ Int. Cl.³: **G 06 F 15/30**


⑤¹ Int. Cl.³: **G 06 F 15/30**

**71 Applicant: NCR CANADA LTD - NCR CANADA LTEE,
6865 Century Avenue, Mississauga Ontario,
L5N 2E2 (CA)**

**(72) Inventor: Rushby, Robert John, 608 Glen Forrest,
Waterloo Ontario N2L 3J8 (CA)
Inventor: Damms, Anthony Bryan, 333 Country Hills
Drive, Kitchener Ontario N2E 2C1 (CA)**

(74) Representative: **Robinson, Robert George, International Patent Department NCR Limited 206 Marylebone Road, London NW1 6LY (GB)**

57 A system for improving the processing of financial transactions using direct customer entry of the transaction data and automatic verification of this data during proof operations. Each customer (8) prepares his own transaction slip (24) via a remote terminal (10), which slip is delivered to a teller (46) for verification. During proof and encoding operations, the amount field of each document (44) is read and compared with the data entered by the customer for correspondence; any errors may be corrected at this stage for reconciliation, saving time and labour costs.



System and Method for Processing
Financial Transactions

Technical Field

This invention relates generally to a system for processing financial transactions and, in particular, to a system for efficiently and reliably completing a banking transaction in which the customer directly enters financial information at a remote terminal unit.

Background Art

Financial institutions are constantly striving to improve the quality of their services, but without incurring any additional expenses to provide these improved services. Thus, in order to be marketable, any new system must be cost-effective; the processing cost per item must be lower than current systems when comparing the same processing functions and volumes. These costs can be broken down into the following categories: capital costs and operating costs. In the financial industry, a major portion of the operating costs is expended in the area of teller operations, data entry and proof operations, and error reconciliation.

Disclosure of the Invention

It is therefore an object of the present invention to provide a system and method which improve accuracy and speed in processing financial transactions, while achieving an overall reduction in processing cost per item and which simplify and minimize the office work required for transactions, in particular, verifying and proving transactions at a bank, thereby reducing labour costs.

Thus, according to the invention, there is provided

a system for processing financial transactions, characterized by first processing means; first terminal means, coupled to said first processing means, for permitting a customer to enter into said first processing means information concerning a financial transaction; second terminal means, coupled to said first processing means for enabling a teller to verify said customer-entered information; and first storage means, coupled to said first processing means, for storing said customer-entered information subsequent to said teller verification.

According to another aspect of the invention, there is provided a method for processing financial transactions within a bank, characterized by the steps of enabling a customer to enter into a first processing means information concerning a financial transaction through the use of a first terminal means; enabling a teller to verify and, if necessary, correct the customer-entered information by use of a second terminal means; and permanently storing within a first storage means said customer-entered information subsequent to teller verification.

The system and method of the present invention are useful in a novel banking scheme in which each customer prepares his own transaction slips using a customer-accessed terminal. The customer enters the totals from each item to be processed into the terminal, and a machine-readable identification is imprinted thereon. The terminal automatically provides a printed deposit slip at the completion of the transaction, which slip is given to a teller for verification via a terminal located at the teller station. The teller has only to verify the endorsements and amounts entered. Any inconsistencies are corrected at this time, and the transactions may be considered proven. When these items are processed during the proof operation, they may be identified by the machine-readable code, and all data concerning each transaction may be accessed from a processor using this code, which data is useful in verifying and proving all transactions.

Brief Description of the Drawings

One embodiment of the invention will now be described, by way of example, with reference to the accompanying drawings, in which:

5 Fig. 1 is a schematic block diagram of the system embodying the present invention;

 Fig. 2 is a diagrammatic representation of the remote terminal which is employed in the present invention;

10 Fig. 3 is a diagrammatic representation of the front of a bank check.

Best Mode of Carrying Out the Invention

 Referring now to Fig. 1, there is shown a block diagram of a preferred embodiment of the system disclosed in the present invention. A customer 8 proceeds to one of a series
15 of customer terminals 10 situated in a convenient location, such as the lobby, within the financial institution. Terminal 10 is used by each customer to prepare a deposit slip by keying in the amount data for all documents.

Referring now to Fig. 2, there is shown a customer keying terminal 10 which may be used in connection with the present invention. In one mode of operation, the customer may identify himself at terminal
5 10 by entering a secret personal identification number assigned to him by the financial institution via a keyboard 12. Alternatively, a card bearing a magnetic stripe (not shown) may be used to identify the customer at terminal 10.

10 When terminal 10 has confirmed the identity of the customer, the terminal displays an image representing a deposit slip upon a cathode ray tube (CRT) screen 14. A chart 16 displays a series of lead-through instructions for assisting the customer in completing the sequence
15 for generating his deposit slip. A set of control keys generally indicated by the numerical designation 18 are used for controlling operation of the transaction entry process.

To begin generation of a deposit slip, the
20 customer first enters his personal account number via keyboard 12, and loads this information into terminal 10 by depressing the ENTER key 18. He next enters via keyboard 12 the amount on the first document he wishes to deposit. After the amount is entered and displayed
25 on CRT screen 14, the customer inserts the document into a printer module 20, and depresses the ENTER key 18, causing printer module 20 to operate. As each document is transported into printing relationship within module 20, a document identification number (DIN) is printed in
30 bar code form on the reverse side of the document, while a human-readable amount corresponding to the amount entered on keyboard 12 is printed on the front side. The customer then removes the document from a receptacle 21 of module 20. The customer repeats the
35 above sequence for each of the documents 42 that he wishes to deposit.

As the bar-coded DIN is being printed on each document to positively identify it, a data file is created which relates that particular document to its bar code. This data is transmitted from customer terminal 10 via a data link to a branch control or "front office" processor 45 (Fig. 1). All of the customer terminals 10 are coupled in parallel to processor 45.

If the customer wishes to receive any cash in the transaction, he enters the desired amount via keyboard 12 into terminal 10 after he has processed all deposit documents. He then depresses the CASH key of control keys 18, which causes a cash out slip (not shown) to be printed at a receipt printer module 22, which slip is encoded with a bar code on the reverse side.

After all keying is complete, the customer depresses the TOTAL key 18, causing terminal 10 to total the complete transaction, with the resulting figures displayed on CRT screen 14. If the displayed totals are agreeable to the customer, he depresses the COMPLETE key 18, causing a deposit slip 24 to be printed at receipt printer module 22 for the customer, which slip is also bar-coded and contains the customer account number. At this time, terminal 10 stores the details of the transaction, including amounts, bar codes, and customer information, in the data file within processor 45. The customer removes deposit slip 24 from printer module 22, and proceeds to the teller window. A duplicate of deposit slip 24 for the customer's personal records may be obtained by depressing the DUPL key 18.

Referring again to Fig. 1, at the time the customer appears at the teller window, he presents the bank documents, which have previously been encoded at terminal 10, along with completed deposit slip 24 and any cash out slips (which group of documents comprise a transaction 44) to a teller 46. Teller 46 checks every document contained in the transaction to determine that



0072183

each amount has been correctly entered, that all items entered on the deposit slip are present, and that all necessary signatures are present. Any errors that teller 46 detects are corrected via a terminal 48 at the teller window. Terminal 48 is coupled on-line to processor 45, as are the customer terminals 10. Teller 46 can access the data file associated with a transaction within processor 45 by keying in the customer account number. The data will appear on a CRT screen at teller terminal 48, and teller 46 may correct any errors via keyboard entry. When teller 46 has determined that all steps of the transaction have been completed correctly, he depresses an entry key on teller terminal 48 which allows the data associated with the transaction to be permanently stored within processor 45.

At this stage, the system may consider all transactions as proven. Physical control (by DIN) has been established, and the only errors which can occur from this point on are misplaced items. In addition, it should be noted that the teller has less work to do than under the current system, as no checking of calculations is required.

An in-balance data file has now been created on a transaction level; during the course of the business day, the teller accumulates transactions into a batch file 60. Batch file 60 should always be in balance; that is, the debits will always equal the credits. Batch file 60 is then stored on a permanent memory device 61 such as a cartridge or disc at the processor in the branch or "front office" processor 45.

Documents accumulated during the course of the business day are physically taken in batches to the bank processing center to be processed. The data file which was created at branch control processor 45 is also transmitted to the bank processing center. This data file may be transferred physically by tape cassette or floppy disk (permanent memory 61), or processor 45 may

be linked directly on-line to the processing center. A proof control or "back office" processor 62 located at the bank processing center receives the data file from the branch control processor 45. In financial institutions which use completely centralized processing systems, proof control processor 62 and branch control processor 45 may be replaced by a single central processor. In the present embodiment, the "back office" proof control processor 62 is file-driven, using the bar code to identify each document and relate it to the previously captured data which was permanently stored in memory 61 and subsequently stored within the processor.

Each document contained in batch 60 is subsequently passed through a document transport 66 for proof and encoding operations which transport includes a bar code reader 66a, a MICR or OCR reader 66b, an imaging device 66c, and a verification unit 66d. As each document is conveyed through transport 66, the bar code is read from the document by reader 66a, allowing processor 62 to associate the document with the customer-entered information within the data file created previously. Reader 66b then reads the MICR information which is printed on the face of the check. The document image is digitized by imaging device 66c and then transmitted to an image file 69, which is coupled to a courtesy amount verification processor (or image control processor) 70.

The concept of courtesy amount verification may be defined as the process of verifying through optical character recognition techniques that an amount that is presumed to be written on a document is indeed present. The courtesy amount on a bank check is the amount written as numeric characters, as opposed to the legal amount, which is written out in alphabetic characters. Fig. 3 shows a diagrammatic representation of a bank check containing both the legal amount and courtesy

amount. The legal amount is designated as 71, while the courtesy amount is designated as 72.

Courtesy amount verification techniques can also be used in other applications where there is a need to verify that expected data is correct. Courtesy amount verification provides the following useful characteristic to the system of the present invention: it is much simpler to compare each character of a previously known amount with characters found on an image in order to verify that these characters are present, as compared to identifying a totally unknown amount on a document; this is true because the recognition equipment need only compare the read character features with a single known character for each digit, rather than compare each read character with a larger set of possible character features. Thus, the misread rate of the system becomes less important.

The courtesy amount verification processor 70 locates and isolates the numerals comprising the courtesy amount data on the document. This may be achieved by using either pre-defined coordinates on the document, or by using a leading character symbol, such as \$ (which is designated as 73 in Fig. 3). When the courtesy amount data field has been located, the field is segmented into individual numeric characters using conventional character recognition techniques.

When each character contained in the courtesy amount field has been recognized and identified, this quantity is compared to the data which was initially entered by the customer and is contained in the data file in processor 62 for correspondence. If there is correspondence, the transaction is proved, and a confirmation is entered into the data file for that document, and then transmitted to verification unit 66d.

However, if the courtesy amount verification processor 70 indicates an error, or fails to verify the amount printed on the face of the document, the complete

digitized image is displayed to the proof operator on a CRT screen at a terminal 74 where the operator visually verifies the amount and keys in the correct data to the file, or, alternatively, the operator may retrieve the
5 physical document to verify the amount and correct the file.

A data file having been created which contains documents which have all been reconciled, and proof balance having been established on all the transactions in
10 the batch file 60, the documents are physically transferred to a second document transport 80, which includes a bar code reader 80a, a MICR encoder 80b, and a sorting mechanism 80c. As each document is conveyed through transport 80, the bar code is read from the document by
15 reader 80a, and the data associated with that document is transmitted to transport 80 from processor 62. The amount data received from processor 62 is then encoded in MICR form on the face of the check by encoder 80b. At this point, the documents in batch 60 are sorted by
20 sorter 80c according to one or more criteria, such as the bank upon which the document has been drawn.

The concept of courtesy amount verification can also be applied when using conventional proof and encode machines. In this situation, an operator normally reads bank documents and enters the appropriate
25 data via a keyboard. A courtesy amount verification unit would read the amount automatically from the document (via an image lift unit) to verify that the amount entered manually is correct. If there is a discrepancy,
30 the document record would then be flagged. This flag could be used to aid the operator if the batch of documents is in an out of balance condition (i.e., to indicate possible miskeyed documents).

CLAIMS

1. A system for processing financial transactions, characterized by first processing means (45); first terminal means (10), coupled to said first processing means (45), for permitting a customer to enter into said first processing means information concerning a financial transaction; second terminal means (48), coupled to said first processing means (45) for enabling a teller to verify said customer-entered information; and first storage means (61), coupled to said first processing means (45), for storing said customer-entered information subsequent to said teller verification.

2. System according to claim 1, characterized in that said customer-entered information is obtained from a plurality of documents (44) comprising a transaction, and in that the teller verifies said customer-entered information against said plurality of documents (44) presented to him by the customer.

3. System according to claim 2, characterized in that said first terminal means (10) includes printing means (22) for producing a printed slip (24) of a transaction which slip is presented to the teller by the customer.

4. System according to claim 2, characterized in that said first terminal means (10) is adapted to receive each document (42), said printing means (22) being arranged to encode each document contained within said transaction.

5. System according to claim 2, characterized in that said second terminal means (48) includes keyboard means for correcting any customer-entered information which is deemed erroneous.

6. System according to either claim 1 or 2, characterized by second processing means (62) for receiving said verified customer-entered information stored within said first storage means (45); document processing means (66) for generating information from said plurality of documents (44); and third processing means (70) for comparing information generated by said document processing means (66) with customer-entered information within said second processing means (62) for correspondence.

7. System according to claim 6, characterized in that said first and second processing means (45 and 62) are coupled by a direct data link or are included within a single computer.

8. System according to claim 6, characterized in that said first storage means (61) is physically delivered to said second processing means (62).

9. System according to claim 6, characterized in that said document processing means (66) includes reading means (66a) for reading information encoded upon each document; character recognition means (66b) for reading courtesy amount data located on the face of each document; imaging means (66c) for producing a facsimile image of the face of each document, and second storage means (69) for storing said facsimile image.

10. System according to claim 9, characterized in that information obtained by said reading means (66a) accesses customer-entered information within said second processing means (62), said accessed information being compared with the data read by said character recognition means (66b) for correspondence.

11. System according to claim 10, characterized by display

means (74), coupled to said second storage means (69) and said third processing means (70), for displaying said facsimile image when said third processing means (70) does not indicate correspondence, and including keyboard means for amending said accessed information within said second storage means (62) to attain correspondence.

12. A method for processing financial transactions within a bank, characterized by the steps of enabling a customer to enter into a first processing means information concerning a financial transaction through the use of a first terminal means; enabling a teller to verify and, if necessary, correct the customer-entered information by use of a second terminal means; and permanently storing within a first storage means said customer-entered information subsequent to teller verification.

13. Method according to claim 12, characterized in that the customer obtains the information to be entered from a plurality of documents (44) which comprise said financial transaction and which are presented to the teller by the customer.

14. Method according to claim 13, characterized by the further steps of delivering said verified customer-entered data to a second processing means; generating information from said plurality of documents; and comparing the generated information with said customer-entered information within said second processing means for correspondence.

15. Method according to claim 14, characterized in that the information generating step includes the steps of reading information encoded upon each document; reading the courtesy amount data located on the face of each document; and producing a facsimile image of the face of each document.

FIG. 1




FIG. 2




FIG. 3

73 72

RICHARD E. FITZWATER
3719 CALIFORNIA AVE.
DAYTON, OHIO

NO. 3220

June 5, 19 81 56-7890
1234

PAY TO THE ORDER OF M. J. Snyder \$ 75.00

Seventy-five and 00/100 DOLLARS

THIRD NATIONAL BANK
DAYTON, OHIO Richard E. Fitzwater

71

⑈01346⑈ ⑆8765⑈ 4321⑈ 045435054⑈